

# Abbreviations

## General

Parameter	Description
APN	Access Point Name
ASU	<a href="#">Arbitrary Strength Unit</a>
CID	<a href="#">Cell-ID</a>
CLI	Command Line Interface, a generic interface to query the router or perform system tasks
DHCP	Dynamic Host Configuration Protocol
DNS	Domain Name System
FQDN	<a href="#">Fully qualified domain name</a>
ICCID	<a href="#">Integrated Circuit Card Identifier</a>
IMSI	<a href="#">International Mobile Subscriber Identity</a>
IMEI	<a href="#">International Mobile Station Equipment Identity</a>
LAI	<a href="#">Location Area Identity (LAI = MCC + MNC + LAC)</a>
LAC	<a href="#">Location Area Code</a>
MCC	<a href="#">Mobile Country Code</a>
MEID	<a href="#">Mobile Equipment Identifier</a>
MNC	<a href="#">Mobile Network Code</a>
MSISDN	<a href="#">Mobile Subscriber Integrated Services Digital Network Number</a>
MSS	Maximum Segment Size
MTU	Maximum Transmission Unit
NAPT	Network Address and Port Translation
RSRP	<a href="#">Referenz Signal Received Power</a>
RSRQ	<a href="#">Reference Signal Received Quality</a>
SDK	Script Development Kit which can be used to program applications
SIM	Subscriber Identity Module

### NetModule AG

Meriedweg 11 T +41 31 985 25 10 Switzerland  
3172 Niederwangen F +41 31 985 25 11

### NetModule GmbH

Frankfurter Strasse 92 T +49 6196 77 99 79 0 Germany  
65760 Eschborn F +49 6196 77 99 79 9

Parameter	Description
SMS	Short Message Service
SSID	Service Set Identifiers, can be used to define multiple WLAN networks on a module
STP	Spanning Tree Protocol
USSD	Unstructured Supplementary Service Data
VRRP	Virtual Router Redundancy Protocol
VPN	Virtual Private Network
WAN	WAN links include all Wide Area Network interfaces which are currently activated in the system

## Router specific

Parameter	Description
ETHx	Corresponds to Ethernet interfaces (either single or switched ones)
LANx	LAN interfaces which are generally based on Ethernet interfaces (including bridges)
WLANx	Refers to a Wireless LAN interface which will be represented as additional LAN interface when configured as access point
WWANx	Refers to a Wireless Wide Area Network (2G/3G/4G) connection
TUNx	Specifies an OpenVPN tunnel interface (based on TUN)
TAPx	Specifies an OpenVPN tunnel interface (based on TAP)
PPTPx	Specifies a PPTP tunnel interface
MOBILEIPx	Refers to a Mobile IP tunnel interface
SIMx	Specifies the SIM slot as seen on the front panel
GNSSx	Specifies a Global Navigation Satellite System module
Mobilex	Identifies a WWAN modem
SERIALx	Identifies a serial port
OUTx	Specifies a digital I/O output port (DOx)
INx	Specifies a digital I/O input port (DIx)
ANY	Generally includes all options offered by the current section

### NetModule AG

Meriedweg 11 T +41 31 985 25 10 Switzerland  
3172 Niederwangen F +41 31 985 25 11

### NetModule GmbH

Frankfurter Strasse 92 T +49 6196 77 99 79 0 Germany  
65760 Eschborn F +49 6196 77 99 79 9